

Mould Comparator



Welcome to the future

Address

Zagrebačka 100,
23 000 Zadar, Croatia

Find us on

www.glass-systems.hr



Contact

+385 (0)23 770 595
info@glass-systems.hr

- Most Accurate and Fastest Machine in the glass container industry
- Rapid set up time
- Measurements in less than 1 minute
- Water Temperature Compensation
- Operator Friendly
- Simple Maintenance
- Comprehensive Training provided
- Comprehensive Support

SPECIFICATIONS	
Electric Supply	230V 50Hz / 110V 60Hz
Air Supply	Minimum 60 psi
Cavity	Round or Shapes Mould or Blank Cavities Capacities up to 2000 ml
Bladders	14 different sizes available
Tools Supplied	All standard tools required to fully operate the machine. Starter Kit of Rubber Inflators (Size 1-5, 10 pcs. per Size)
Machine Sizes	(H x W x D) 188 x 93 x 83 cm
Mould Height	100 - 440 mm
Mould Diameter	Maximum 310 mm

Welcome to the future

Address

Zagrebačka 100,
23 000 Zadar, Croatia

Find us on

www.glass-systems.hr




Contact

+385 (0)23 770 595
info@glass-systems.hr



The Rapid Clamping Device has following features:

- Integrated Torque Limiter for controlled consistent clamping force
- Clamping force applied to the center of the mould / blank
- Self-centering vice jaws with linear guides
- Clamping height adjustment
- No additional tooling required



Welcome to the future

Address
Zagrebačka 100,
23 000 Zadar, Croatia

Find us on
www.glass-systems.hr
 

Contact
+385 (0)23 770 595
info@glass-systems.hr

Mould Comparator

More info available:



www.glass-systems.hr

Welcome to the future

Address

Zagrebačka 100,
23 000 Zadar, Croatia

Find us on

www.glass-systems.hr



Contact

+385 (0)23 770 595
info@glass-systems.hr